CONTROL APPROVAL SYMBOL SPMCS- 85







WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY IN THE CONTINENTAL UNITED STATES

WEEK ENDED 14 JUNE 1946





ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED

PER 1000 STRENGTH



INJURY



THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS AMENDED. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

CONTENTS

DATA FOR WEEK ENDED 14 JUNE 1946

NATURE OF THE DATA				PA	GE 2
COMMENT ON CURRENT TRENDS					5
SUMMARY FOR TOTAL UNITED STATES AND SERVICE COMMANDS .					11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HAVING A STRENGTH OF 5000 OR OVER				. 1	4
STATIONS WITH HIGHEST MORBIDITY RATES				. 1	8
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST	· Control of	10		. 1	9

WEEKLY HEALTH REPORT NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and cettain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (1).

MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on a duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The proportion of the average daily strength of the command which is confined to hospital or quarters (including patients evacuated from overseas) is given in the "Year-to-date" section of the summary table. the mean number of noneffectives per thousand strength shown in the weekly section of the summary table includes only patients admitted to hospital or quarters from activities in the Continental United States; these figures, therefore, are noneffective rates for troops stationed in the United States.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casuals, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH RIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.


EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.


Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol . I is placed after the name of the station.

MORBIDITY FROM ---- ALL CAUSES INJURY ONLY

CONTINENTAL UNITED STATES



MORBIDITY FROM — DISEASE — COLDS INFLUENZA ETC.



COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes: (Page 3)

Morbidity from all causes during the week ended 14 June increased, being reported at 512 admissions per 1000 troops per amum, as compared with a rate of 504 during the preceding week.

Injury: (Page 3)

Injury admissions increased to 39 per 1000 troops per annum; highest rate was that reported from the Fourth Service Command (51 per 1000), ranging down to 26 per 1000 in the Military District of Washington.

<u>Diseases:</u> (See opposite page.)
Morbidity from all diseases in the United States
as a whole during the week increased from 466 to 473
admissions per 1000 troops per annum.

Respiratory Diseases:
(See opposite page and pages 6 and 7.)
The rate for colds, influenza, etc. increased

during the week from 76 per 1000 to 79 per 1000.

Morbidity from these causes continued highest in the Seventh Service Command.

Admissions for all forms of pneumonia increased to 12 per 1000 troops per annum. Highest morbidity (30 admissions per 1000 troops per annum) was reported from the Fourth Service Command; rates ranged downward to 4 per 1000 (only 2 cases) in the First Service Command. The rate for pneumonias other than primary atypical decreased from 4.1 to 3.6 per 1000 troops per annum.

Venereal Diseases:

Admissions for "new non-EPTS" venereal diseases increased during the week from 62 to 74 per 1000 troops per annum.

Other Communicable Diseases:
The rate for scarlet fever was reported at 4.2
admissions per 1000 troops per annum during the current week, as compared with the previous week's rate of 3.7.

The rate for rheumatic fever increased from 2.9 to 4.6 per 1000 troops per annum.


Admissions for streptococcal sore throat numbered 1.5 per 1000 troops per annum.

MORBIDITY AT TRAINING CENTERS: (Page 13)

It has long been recognized that most respiratory diseases, common contagious diseases, and streptococcal infections present a more serious problem among men coming into the Army than among troops with comparatively long service. The table on page 13 furnishes a rough measure of this difference, since it shows morbidity at stations at which training centers for recruits are located. Separate totals for all stations having training centers and for stations at which no training centers are located are presented; in addition, totals are shown separately for training centers of the Air Forces, Ground Forces, and Service Forces.


MORBIDITY FROM SELECTED CAUSES - U.S. AND THE SERVICE COMMANDS

ADMISSIONS PER 1000 TROOPS PER YEAR ---- WEEK ENDED 14 JUNE 1946



MORBIDITY FROM SELECTED CAUSES -- U. S. AND THE SERVICE COMMANDS

ADMISSIONS PER 1000 TROOPS PER YEAR ---- WEEK ENDED 14 JUNE 1946



COMMENT ON CURRENT TRENDS (CONT.)

It should be noted that a distinction cannot be made, on the basis of the Statistical Health Report, between those troops at a given station who are undergoing basic training and those who are engaged in other activities. Data must be shown for all troops at stations at which training centers are located; these data, therefore, cannot be said to measure morbidity among trainees alone.

Stations having training centers are marked in the tables in this report as follows:

1/ Army Service Forces Training Center.
2/ Army Air Forces Basic Training Center.
3/ Army Ground Forces Replacement Training Center.
4/ Personnel Center.

The admission rate for diseases at stations having training centers exceeded that at other stations by about 15 per cent.

Morbidity from colds, influenza, etc., at stations having training centers, while about 25 per cent higher than that at other stations, decreased by about 5 per cent during the week.

Admissions for pneumonia at training center stations as a whole increased from 22 to 24 per 1000 troops per annum. However, the rate at other stations continued at 7.

Morbidity from scarlet fever at stations having training centers decreased from 8 to 7 admissions per 1000 troops per annum. The rate for rheumatic fever increased during the week (4 to 6 admissions per 1000 troops per annum) at stations having training centers.

Venereal disease admissions at stations having training centers increased during the week from 57 to 80 per 1000 troops per annum.

NONEFFECTIVE RATE: (Page 9)

The noneffective rate for personnel stationed in the continental United States is estimated at 38.8.

PATIENTS REMAINING UNDER TREATMENT: (Page 9)


The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 70,208, as compared with 72,128 at the end of the previous week.

The number of neuropsychiatric cases remaining was 4280 or about 375 less than at the end of the previous week. Battle wounded remaining decreased by about 750 to number 14,428.


In the week ended 14 June there were 1424 enlisted personnel discharged by CDD (about 350 less than in the previous week). Among them were 224 neuropsychiatric cases. These 1424 discharges included 86 accomplished at Air Force medical activities.

NONEFFECTIVE RATE

CONTINENTAL UNITED STATES




PATIENTS REMAINING IN HOSPITAL



CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



VOLUME VI REPORT NO. 24 WEEK ENDING 11 June 194 6

WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

								ADN	MIS	S 1 6								EAN BER OF
SERVICE COMMAND	ME			-	PER 1000	STRENGTH					ANI	PER 1000	ASE R				NONEFF	ECTIVE
	SIRE	NGTH	ALL C	CAUSES	DISI	EASE	INJ	URY		INFLU- ETC. *		MONIA TYPICAL)	SCARLE	T FEVER	VENE (EXCL.	REAL EPTI)		TRENGT
CUR	RENT	WE	EK	C	OM	PAF	RED		TIW	Н	PR	EVI			WEI	EK		
	Current week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	week	Week										
TOTAL UNITED STATES	1093858	1135689	512	5.04	473	466	39	38	79	76	12	11	4	4	74	62	39	38
FIRST SERVICE COMMAND	24025	24431	351	354	316	318	35	36	52	38	42	2?	0	0	22	34	43	48
SECOND SERVICE COMMAND	118905	126194	546	583	515	560	31	23	69	65	5	6	1?	2	88	82	34	37
THIRD SERVICE COMMAND	122983	120891	560	533	529	503	31	30	79	99	14	7	5	8	111	86	33	35
MIL. DIST. OF WASHINGTON	46690	46159	462	424	436	408	26	16	77	62	9	9	1?	3?	67	37	47	45
FOURTH SERVICE COMMAND	166798	172187	514	471	463	423	51	48	46	37	30	20	0?	2	93	86	44	45
FIFTH SERVICE COMMAND	83933	85123	525	542	487	497	38	45	74	81	11	20	2?	5	73	59	37	35
SIXTH SERVICE COMMAND	67632	70482	416	404	378	364	38	40	78	83	12	7	4?	2?	59	35	30	32
SEVENTH SERVICE COMMAND	76713	75172	545	591	508	553	37	38	124	122	8	13	14	8	51	50	43	42
EIGHTH SERVICE COMMAND	204536	214892	553	538	505	489	48	149	100	89	9	16	3	1?	58	53	37	36
NINTH SERVICE COMMAND	181643	200158	464	452	427	416	37	36	83	73	. 5	4	8	6	63	48	ليلا	35
CURRENT Y	EAR T	O DA	TE (COMP	ARE	D W	HTH	COI	RRES	PON	DING	PE	RIOD	PF	EVI	OUS	YE	_
	Current Year	Previous Year	Current	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Year	Yea								
TOTAL UNITED STATES	1486462	2883090	610	623	577	573	33	50	150	149	16	13	8	2	75	43	78	85
FIRST SERVICE COMMAND	46034	80490	527	655	499	611	28	lele	122	142	9	7	4	1	36	50	140	142
SECOND SERVICE COMMAND	145611	180584	650	669	624	627	26	42	124	144	12	9	3	2	75	47	97	115
THIRD SERVICE COMMAND	151587	187459	752	651	725	613	27	38	227	148	19	13	15	2	102	60	63	101
MIL. DIST. OF WASHINGTON	47500	51403	695	609	670	569	25	40	244	160	24	7	21	1	45	21	76	72
FOURTH SERVICE COMMAND	284754	703612	553	611	518	552	35	59	104	125	22	14	5	1	113	47	67	74
FIFTH SERVICE COMMAND	109910	139700	573	627	541	583	32	ليل	112	177	12	15	9	1	62	49	94	175
SIXTH SERVICE COMMAND	91237	107454	529	645	499	610	30	35	114	171	16	17	6	6	50	48	119	136
SEVENTH SERVICE COMMAND	115663	266671	691	581	664	542	27	39	224	145	17	9	17	3	57	42	84	87
EIGHTH SERVICE COMMAND	252320	688513	615	627	578	570	37	57	181	170	16	17	6	2	61	37	64	60
NINTH SERVICE COMMAND	241846	477204	565	622	527	571	38	51	122	114	9	8	5	2	62	38	65	75

FORM SG-396B REVISED 13 NOVEMBER 1943

RESTRICTED

** Does not include evacuees.

Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis,

Acute Catarrhal Masopharyngitis, Acute Catarrhal Laryngitis and Influenza

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

WEEK ENDING 14 June 1946 SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

					A	D M I	S S	I O N	S					NUME	BER O	F DE	ATHS	OF ONS
SERVICE	MEAN * STRENGTH	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMATIC	ATY PICAL PNEUMONIA	INFECTIOUS HEPATITIS		OUT OF USA	TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL	DISEASE	INJURY	BATTLE	NUMBER OF
				(UR	RE	NT	W	EEI	Κ .								
TOTAL UNITED STATES	1093858	67	122	89	11	97	171	46	5	177	45	31	101	64	24	39	1	1424
FIRST SERVICE COMMAND	24025		1				1	.2		4		1		1			1	60
SECOND SERVICE COMMAND	118905	1	10	3		9	11	11		17	4	5	9	10	4	6		16
THIRD SERVICE COMMAND	122983	13	26	13	3	13	29			22	5	8	29	5	1	4		71
MIL. DIST, OF WASHINGTON	46690	1	5	1	1	11	6	4		7	1			4	4			59
FOURTH SERVICE COMMAND	166798	6	6	1	1	15	81	1	5	22	6	1	19	21	4	17		210
FIFTH SERVICE COMMAND	83933	2	7	4		3	7	2		14	3	2	4	2	2			140
SIXTH SERVICE COMMAND	67632	3	11	5	2	14	11	7		14	4	1	3	6	3	3		15
SEVENTH SERVICE COMMAND	76713	8	11	20	2	10	.9	4		8	4	7	5	4	2	2		12
EIGHTH SERVICE COMMAND	204536	19	19	13	1	27	11	7		36	11	5	20	6	2	4		230
NINTH SERVICE COMMAND	1816)43	14	26	29	1	5	5	8		33	7	1	12	5	2	3		20
				P	REV	V 1 0	US	V	VEE	K								
TOTAL UNITED STATES	1135689	96	144	81	5	63	150	56		168	38	22	121	44	28	16		177
FIRST SERVICE COMMAND	24431		4				1	2		2								10!
SECOND SERVICE COMMAND	126194	3	13	6		9	10	19		14	6	2	18	3	1	2		21
THIRD SERVICE COMMAND	120891	13	21	18		7	14	5		9	6	6	29	5	1	4		7.
MIL. DIST. OF WASHINGTON	46159	4	. 7	3	1	3	7	1		5			4	5	4	1		5
FOURTH SERVICE COMMAND	172187	3	5	6		10	52	3		23	1	1	13	8	6	2		51
FIFTH SERVICE COMMAND	85123	4	8	8	1	8	13	3		11.	4	3	4	3	2	1		14:
SIXTH SERVICE COMMAND	70482	6	7	3	1	4	6	4		18	1		1	3	3			121
SEVENTH SERVICE COMMAND	75172	4	17	11		3	15	1		8	5	9	7	6	4	2		12
EIGHTH SERVICE COMMAND	214892	40	34	3	1	15	33	13		53	9		24	7	5	2		24
NINTH SERVICE COMMAND	200158	19	28	23	1	4	7	5		25	6	1	21	1,	2	2		17

FORM SO-396C REVISED 2 DEG. 1944

** SEE NATURE OF THE DATA, PAGE 2

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

VOLUME VI REPORT NO. 24
WEEK ENDING 14 June 194 6

SUNMARY OF TRAINING CENTERS

					ADMISS	IONS F	ER 100	OO TROO	PS PE	er and	FUNE		,		
	MEAN ** STRENGTH	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA CINCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M*COCCIC MENINGITIS	RHEUMATIC	ATYPICAL	INFECTIOUS
Total United States	1093858	512	473	39	79	12	2	74	3	6	4	1	5	8	2
Stations without Training Centers	763652	493	454	39	74	7	2	71	2	5	3	1	4	4	3
Stations having Training Centers	330206	560	518	142	93	24	2	80	5	9	7	0?	6	17	1
1/Stations having ASFTC's	201928	_554	517	37	92	12	1?	91	5	12	10	1?	7	7	1?
2/Stations having AAFBTC's	25706	524	471	53	89	69	0	45	16	0	42	23	20	149	0
3/Stations having AGFRTC's	102572	560	532	48	96	35	6	66	2?	3	3	0	1?	28	1?
		1/ ARMY	SERVIC	E FORCE	S TRAI	NING C	ENTERS	•							
		-2/ ARMY	AIR FO	RCES BA	SIC TR	AINING	CENTE	RS.							
		3/ ARMY	GROUND	FORCES	REPLA	CEMENT	TRAIN	ING CE	NTERS						
		-													

FORM S6-945 II DEC. 1944

 $\mbox{\ensuremath{\mbox{\#}}}$ DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT) $\mbox{\ensuremath{\mbox{\#}}}\mbox{\ensuremath{\mbox{\mbox{\#}}}\mbox{\ensuremath{\mbox{\#}}}\mbox{\ensuremath{\mbox{\#}}}\mbox{\ensuremath{\mbox{\#}}}\mbox{\ensuremath{\mbox{\#}}}\mbox{\ensuremath{\mbox{\#}}}\mbox{\ensuremath{\mbox{\#}}}\mbox{\ensuremath{\mbox{\#}}}\mbox{\ensuremath{\mbox{\#}}}\mbox{\ensuremath{\mbox{\#}}}\mbox{\ensuremath{\mbox{\#}}}\mbox{\ensuremath{\mbox{\mbox{\mbox{\#}}}}\mbox{\ensuremath{\mbox$

ADMISSIONS TO HOSPITAL AND QUARTERS-WEEK ENDED _ 14 JUNE 1946

FIRST SERVICE COMMAND Devens, Ft., Mass 4/ Total all Stations UNDER 5000 STRENGTH AND MISCELLANEOUS UNITS 11266 SECOND SERVICE COMMAND Dix, Ft., N. J. 4/ X6524 Kilmer, Cp., N. J. 29576 Monmouth, Ft., N. J. 12509	M 11 CAUSES 21 261 261 261 261 261 261 261 261 261	\$3.0 \$16	. INJURY	"NEW" NON-EPTS VENERFAL DISEASES	OLDS, INFLUENZA, ETC.	PHTHERIA	8	000010		- UBMP								N-EPTS	CASES			AL DISE	E PORT		RE	ADMIS	55 1 01		E PTS		DEAT
FIRST SERVICE COMMAND 24025 Devens, Ft., Mass 4/ 7061 Mestover Field, Mass. 5698 NOTAL ALL STATIONS UNDER 5000 STRENGTH AND BISCELLANEOUS UNITS 11266 SECOND SERVICE COMMAND 118905 Dix, Ft., N. J. 4/ 36524 Kilmer, Cp., N. J. 29576 Monmouth, Ft., N. J. 12509	ALL CAUSES	-	-	NON	INF ETC.	THERIA	8	0cc 1c 1s		HCAL	-					-			CASES						RE	ADMIS	5510		E PTS		
FIRST SERVICE COMMAND 24025 Devens, Ft., Mass 4/ 7061 Westover Field, Mass. 5698 FOTAL ALL STATIONS UNDER 5000 STRENGTH AND MISCELLANEOUS UNITS 11266 Dix, Ft., N. J. 4/ 36524 Kilmer, Cp., N. J. 29576 Mommouth, Ft., N. J. 12509	ALL CAUSES	-	-	NON	INF ETC.	THERIA	8	0cc 1c		HCAL																					
Devens, Ft., Mass 4/7061 Mestover Field. Mass. 5698 POTAL ALL STATIONS UNDER 5000 STRENGTH AND MISCELLANEOUS UNITS DIX, Ft., N. J. 4/36524 Gilmer, Cp., N. J. 29576 Monmouth, Ft., N. J. 12509		316	35		- u	D 1 PH	MEAS LES	MENING ST 15	MUMPS	PRIMARY ATYP	SCARLET FEVER	TUBERCULOSIS	DIARRHEA AND DYSENTERY	MALARIA	HE PATITIS	FEVER	A L L PERS ONNE L	WHITE	COLORED	ALL" PERSONNEL	WHITE	COLORED	A LL PERS ONNE L	TROOPS	TROOPS	TOTAL	SYPHILLS	A L L P ERSONNE L	WHITE	COLORED	A LL CAUSES
NOTAL ALL STATIONS INDER 5000 STRENGTH AND GISCELLANEOUS UNITS EECOND SERVICE COMMAND Dix, Ft., N. J. 4/ 36524 (ilmer, Cp., N. J. 29576 Monmouth, Ft., N. J. 12509	184			22	52				1	2 1				4	2		10	6	4	9	6	3	1		1	1	1	-			1
Mestover Field, Mass. 5698 POTAL ALL STATIONS UNDER 5000 STRENGTH AND MISCELLANEOUS UNITS BECOND SERVICE COMMAND 118905 Dix, Ft., N. J. 4/ 36524 Kilmer, Cp., N. J. 29576		162	22?	157	15?				1								2	2		2	2						1				
UNDER 5000 STRENGTH AND 11266 SECOND SERVICE COMMAND 118905 Dix, Ft., N. J. 4 36524 Kilmer, Cp., N. J. 29576 Monmouth, Ft., N. J. 12509	393	329		46						1 1				2			5	2	3	5	2	3				1	1				
Oix, Ft., N. J. 4/36524 Kilmer, Cp., N. J. 29576 Monmouth, Ft., N. J. 12509	454	406	28	14?	65					1				2	2		3	2	1	2	2		1		1						1
Oix, Ft., N. J. 4/36524 (ilmer, Cp., N. J. 29576 Monmouth, Ft., N. J. 12509	546	515	31	88	69	3	1		10	11 1	1 3	5	5	17	11	9	201	76	125	176	65	111	24	121	2	9 4	. 5				10
formouth, Ft., N. J. 12509	507	486			47					3	3 1	3		4	1	2	34	17	17	31	14	17	3	3	-						
	679	654	25	206	74	2	1		5	1	1	ļ †·		5	1		117	34	83	102	28	74	14	6	8	5 2	3				2
TOTAL: ALL STATIONS	483	462	21?	21?	116				4	3	3 2	1	-	1	1	2	5	1	4	. 5	1	4					+				3
JNDER 5000 STRENGTH AND MISCELLANEOUS UNITS 40296	505	457	48	58	71	1			1	4	4	2	5	7	8	5	45	24	21	38	22	. 16	7	3	4	4 2	2				5
THIRD SERVICE COMMAND 122983	560	529	31	111	79		13	3	26	34 2	9, 13	5 5	5	22		13	263	53	210	238	45	193	20	8.]	2 6	51	7	ļu	3	8	5,
Aberdeen PrGr. Md 1/ 25105	641	621	20	74	205		8	1	8	9	9 6	3		3		1	33	12	21	30	10	20	8	2	1 .	4 3	1	2	,	2	
Custis, Ft., Va. 1/ 16769	726	676	50	205	143	-	2		3	5	4]		2	7			66	5	61	66	5	61			3	6 36	-		-	0	2
Heorge G. Meade, Pt. Md. 16812	485	448			28	-	1	1		3	3	4	_	2		-	26					7	5	1	4	4 1	2	2		2	
ee, Cp., Va. (RH) 1/ 36611	271 491	263			23?				2	10 1	0 6	3		3		1	103	12		93		63	8	2	6 1	2 9	2	7	3	4	1
OTAL: ALL STATIONS																													+		
UNDER 5000 STRENGTH AND USCELLANEOUS UNITS 22974	607	559	48	59	59	-	2	1		7	3		3	6			26	8	18	22	5	17	4	3	1	4 2	2	+			2
																									-			1			

RESTRICTED SG FORM 945

• Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Phanyngitis, Acute Catarrhal Masopharyngitis, Acute Catarrhal aryngitis and Influence.

• Includes cases carded for record only

ADMISSIONS TO HOSPITAL AND QUARTERS-WEEK ENDED - 14 JUNE 1946

				ADMISSION TROOPS															MINSE	P OF A	OHISSING	as											
										T		PNEU-			I									EAL DIS									DEAT
											-	ONTA											PREVIO					READ	H1331	OH	EPTS	_	
STATIO	и	MEAN				FPTS	LUENZA,			010		ATYPICAL	FEVER	-5	ND					TOTAL		60	ORRHE	A	SV	PRII	.13	NEXU.	11331		Eris		
			ALL CAUSES	OISEASES	INUURY	"NEW" NOW-	COLDS, INF	DIPHTHERIA	MEASLES	MENING OCOCC	MUMPS	PRIMARY AT	SCARLET FE		D ARRHEA A	WA .AR!A	HEPATITIS	RHEUMATIC	ALL	WHITE	COLORED	ALL	WHITE	COLORED	PERSONNEL	WHITE	COLORED	TOTAL	SONORRHEA	ALL	WHITE	COLORED	A LL CAUSES
MIL DIST OF W	LASHINGTON .	46690	462	436	26	67	77		1	1	5 8	6	1	1		7	4	11	60			53		37		7		4	4	1		1	4
Belvoir. Ft.,	1/ Va. (RH)	20276	529	508	21	126	80		1	1	5 8	3 6	1	1		3	3	11	49	17	32	42	10	32	7	7		4	4	-			
Washington Ge	m Disp.DC	7366	219	21.2	72		71																										
TOTAL: ALL S	STATIONS																																
MISCELLANEOUS		19049	485	445	38	30	76							-		4	1		11	6	5	11	6	5			,	+		-		1	4
FOURTH SERVICE	E COMMAND	166798	514	463	51	93	46		6	1	6 9	5 83	1	6	16	27	1	15	298	122	176	237	130	127	39	12	27	37	1717	7 17	1	16	21
Benning, Ft,	Ga (RH)	22594	660	596	64	127	51			1	2	2 2		2		6			55	11	44	39	10	29	10		10	14	10 4	5		5	1
Bragg Ft, NO	C (RH) 3/4/	26654	477	432	45	93	35		2			1 1		3		2	1		48	22	26	41	19	22	4	3	1	1		1 1	11	10	1
Greensboro, A	AAFORD, NC	8513	525	458	67	141	43				5	a							23	16	7	23	16	7									1
Jackson, Pt,	sc	61.46	355	330	25?	59	17?			1	L				1				7	2	5	4	2	2	2		2						1
Keesler Fld,	Miss (RH)	13948	481	410	71	34	63		1	1	2	4 24				3			9	3	6	9	3	6				1	1				
McClellan, F	t, Ala (HH)	24254	568	536	32	69	71				5	7 49	1		9	2		1	32	15	17	29	15	14	2	1	1	7	7	1		1	
McPherson, F	t, Ga 4/	6312	511	453	58	107	41?			2	2 :	2 2			1	1		1	13	13		10	10		3	3		4	4				
TOTAL: ALL S										-	-		-															-	-	-		-	
MISCELLANEOUS	S UNITS	58177	477	425	52	99	38		3]		4 3		1	5	13		13	111	40	71	82	35	47	18	5	13	10	3 4	-	H	1	17
FIFTH SERVICE	B COMMAND	83933	525	487	38	73	74		2		7 1	7 7	4	3	6	14	2	3	118	79	39	95	69	26	19	8	11	6	3 3	1	4 4	10	2
		246																				,											
Atterbury, Cr		14343	420	413	72	33	44		-		+	1	-		1	2			9	5	4	6	5	1	2		2	1	1	13	4	9	2
Campbell, Cp,	9	19682	460	410	50	92	-]	- +	-				1			35	27	8	33	26	7	1			1				-	1
Dayton, Chio Knox, Ft, Ky		26491	529	484 577	45	83 55	157		1		2	2	4	1	3	3		1	13	20	8	12 22	11	7	6		1	2	2	1		1	2
TOTALS ALL S	STATIONS			7.7		,,	-,,			i																	1						
UNDER 5000 ST MISCELLA NEOUS	HENGTH &	15248	535	501	34	113	65			2	2 :	1		2	1	3	2	1	33	15	18	22	12	10	9	1	8	2	1 1			1	1

ADMISSIONS TO HOSPITAL AND QUARTERS-WEEK ENDED - 14 JUNE 1946

			ADMISSION TROOPS														MINGER	OF ADI	115510	is											
											VEU -											AL BIS								00	EA
										M (DNIA					-		TOTAL	CASE		PREVIO		EPOR	PHIL	19 8	EADHI	5510	E	PTS		
STATION	MEAN STRENGTN	ALL CAUSES	DISEASES	INJURY	"NEW" NON-EPTS	COLDS, INFLUENZA, ETC.	DIPHTHERIA	MEASLES	MENING OCOCCIC	ALL FORMS	PRIMARY ATYPICAL	SCARLET FEVER	TUBERCULOS IS DIARRHEA AND	UTSENIENT WALARIA	INFECTIOUS MEPATITIS	REVER	ALL PERSONNEL		COLORED	٦.	WHITE		1			TOTAL			WHITE	C OLORED A LL CAUSES	A LE UMUNEU
ATH SERVICE COMMAND	67632	416	378	38	59	78		3	2 1	1 18	11		4		1 7			57	40		26	35	13	10	3	3	2	2	1	1 6	
anute Field, Ill. (RE	10190	368	832	36	261	92		1	2	3 1		1				3	5	4	. 1	4	8	1				1					
	10007	2004	500		50	100							,				0.3		25	03		36									
ott Field, Ill. (RH)	18931	434	990	9.9	20	132				8 8	1	3		-			21	6	15	21	6	15				+	1			3	-
neridan. Ft., Ill. (Hi	14283	431	415	181	113	87		1		2 5	5 3		2	-	5	1	81	17	14	19	9	10	11	8	3	1		2	1	1	
OTAL: ALL STATIONS UNDER		413	368	45	43	56		1		S 1	1	1	1		7		20	10	10	17	8	9:	2	2		1	L			3	5
EVENTH SERVICE COMMAND	76713	545	508	37	51	124	2	8	2]	1 12	9	20	4	5 1	8 4	10	76	56	20	71	52	19	5	4	1	4	1 8	3 3	1	2 4	-
uckley Field, Cole (RH	6976	1021	999	223	52	254		5	1	2 8	4	12				3	7	4	3	7	4	3		-		-					
arson, Co, Colo (SH)	5475	580	580		481	105					-		-	3	-		Б	5		5	5	-		-		-	-			+	
owry Field. Colo.	14706	516	481	35	251	241		2	-	1 1	1	2		1	-	3	7	5	4	7	3	4	-	-			+				
		327	316	111	48	21	1		1	2	2 2		3	-	1 1			6	3	6	4	2	A	2	1	-	-	3	1	2	
sevenworth, Ft.Kans Y	9699	361	WAV	-				1		1		1	1	1							1	1			1						
moky Hill. AAP. Kans.		318			60					2					-		6	3	3	6	3	8	-	-	1	3	- 2	5		+	١

ADMISSIONS TO HOSPITAL AND QUARTERS-WEEK ENDED - 14 JUNE 1946

			,	TROOPS P															MARKER	OF ADA	115510	IS		- 4 -										
										T	PN	EU-			T		T	T					VENERE	AL DIS	EASES	0.0							DEAT	TH
		1 3 -		- 1							MO	NIA						1	HOR	-EPTS	CASE	S WOT I					1	-		1	-		UEA!	1 114
	STATION	MEAN STRENGTH				60	,											F		OTAL			ORBHE			PHIL	15	READM	15310	100	EPTS		-	-
	es commission pr	ZIMENGIN				NON-EPTS	LUENZA	4	0100	2 40		ATYPICA	FEVER	S 1 S	a l																			
	L. OR GREEN		CAUSES	SEASES	18 ¥	NON A	OLDS, IMF.	PHTHERIA	MEAS LES	MENING IT IS	ALL FORMS	PRIMARY A	SCARLET FE	TUBERCULOS 15	MTERY	MA LARIA	HE PAT 17 15 RHEUMAT IC	œ	ALL PERSONNEL	E S	RED	A LL" PERSONNEL	P S	RED	PERSONNEL	FROOPS	PSD	-	ONORRHEA	TLL TLL	E S	OLORED	CAUSES	DISEASES
		*	ALL	3810	INJURY	VENER	0100	0 1 9 4	MEAS	NENING	ALL	PR IN	SCAR	TUBE	DYSE	MALA	REPA	FEVE	PERS	TROOPS	COLORED	A L L	WHITE TROOPS	COLORED	PERS	TROOT	COLO	TOTA	S ON O	ALL	W H I TE	0700	A LL	DISE
BIGHTH	SERVICE COMMAND	204536	553	505	48	58	100		19	1 1	34	11	13	11	1	36	7 2	27	227	133	94	199	122	77	19	10	9	9	7	1 2	5	23	6	2
Amarill	Lo AAF. Tex. (RH)	10063	759	718	41	10?	408		6		1	1	6					8	2	2		2	2											
	Pt., Tex. 3/4/	15824	717	664		43	171						1			2			13	13		13	15					1	1					
	in., Tex.	15990	449	400	49	78	36									12	3	1	24	23	1	23	22	1	1	1			3					
Jos . T. H	(RH) 8/Robinson,Cp., Ark.	9149	546	455	91	51	40		1	,	1	1		1					9	9		. 8	8		1	1		1		1			1	
Polk, C	Sp., La. 1/	30317	501	418	89	14	77		-	1	5 6				1			-	8	7	1	7	6	1	1	1	-	1	1				3	
	aston, Ft., Tex.	18105	485	465	20	86	26		-	13	3			3		4		-	30	13	17	22	11	11	7	2	5	1	+	23	5	23		
San Ant	(RH) 2/	21934	687	680	7?	66	202		4	1	6	4		1		1		1	28	15	13	26	15	11	1		1	1	1	+	-			
Sh eppar	rd Field, Tex.	11758	575	544	31	57	119		7	-	10	-	2		-		1	0	13	3	10	11	3	8	1		1			+	+	-		-
6411. F	t. Okla.	5784	468	414	54	45?	18								+		+	+	5	5		5	5						-	+				
	ALL STATIONS UNDER TR. & MISC. UNITS	65612	507	462	45	75	60		1	1 8	3 10	5	4	6	1	17	4	7	95	43	52	82	37	45	7	5	2	2	1				2	-
MINTH	SERVICE COMMAND	181643	404	427	37	63	83		14	1 20	19	8	29	7	5	33	8	5	219	83	136	181	65	116	37	15	22	1		1			5	
	,																						L.M.											
Beale,	Cp., Calif. 4/	12809	368	349	47	41	85			1	1		1	5		2	1	1	10	8	2	10	8	2					-					-
Geiger	Field, Wash.	7720	458	445	13?	34?	256		1	2			1			1		-	5	2	3	5	2	3				-			-			-
Kearns	AAF, Utah	7411	519	484	357	98	112			1	2	-				2		-	14	6	8	9		4	5	1	4					-		-
	, Pt., Wash.	14893	426	377	49	129	49		8	2	2	-				6		-	37	10	27	30	5	25	6	4	2			+	-	-		-
Lewis,	Ft., Wash. 1/4/	44121	536	510	26	48	113		6	10	7	-	23	1		6	1	2	41	12	29	33		25		4				-		-		-
Stonem	man, Cp., Calif.	26371	403	383	20	137	94			3			1				1		62	14	48	53	11	42	8	2	6							+
	ALL STATIONS 5000 STRENGTH AND		1	- 1							-	-					-			Bill		-									-			-
	LANEOUS UNITS	69318	464	407	57	38	44		4	5	7	5	3	1	5	16	5	3	50	31	19	41	26	15	10	4	6	1	+	1			5	-

^{*} Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Masopharyngitis, Acute Catarrhal Laryngitis and Influenza ** Includes cases carded for record only

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

VOLUME VI REPORT NO. 24 WEEK ENDING 14 June

STATIONS WITH STRENGTH OF 5000 OR OVER

RESTRICTED

STATION	CURRENT	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT	PREVIOUS WEEK
ALL CAUS			DISEAS ANNUAL ADMISSION R		00	MEASIES Annual Admission Rate	Per 1000	
Buckley Field, Colo.	1021	975	Buckley Field, Colo.	999	895	Aberdeen Prov. Frd., Md. 1/	18	19
Amarillo AAF, Tex.	759	881	Amarillo AAF, Tex.	718	801	Lewis, Ft., Wash. 1/4/	7	11
Eustis, Ft., Va. 1/	726	796	San Antohio AAF, Tex.	680	580	Amarillo AAF, Tex.	3	85
Bliss, Ft., Tex. 3/4/	717	590	Eustis, Ft., Va. 1/	.676	750			
San Antonio AAF, Tex.	687	580	Bliss, Ft., Tex. 3/4/	664	562	No Other Station With		
Kilmer, Cp., N.J.	679	489	Kilmer, Cp., N.J.	654	486	Six or More Cases		
Benning, Ft., Ga.	660	596	Aberdeen Prov. Grd., Md. 1/	621	548			
COLDS, INFLUEN			PNEUMONIA (INCLUDII ANNUAL ADMISSION R.		PICAL)	SCARLET FEV. Annual Admission Rat		
Amarillo AAF, Tex.	408	1,11	McClellan, Ft., Ala. 3/	122 (105)	62 (62)	Buckley Field, Colo.	89	29?
Geiger, Field, Wash.	256	263	Keesler Field, Miss. 2/	89 (89)	78 (49)	Amarillo AAF, Tex.	31	10?
Buckley Field, Colo.	254	211	Sheppard Field, Tex. 2/	hl (0)	39 (0)	Lewis, Ft., Wash. 1/4/	27	21
Lowry Field, Colo.	241	304	Knox, Ft., Ky. 3/	22 (8?)	47 (14)	Aberdeen Prov. Grd., Md. 1/	14	6?
Aberdeen Prov. Grd., Md. 1/	205	212	Scott Field, Ill.	22 (19)	8? (5?)	Lee, Cp., Va. 1/	9	19
San Antonio AAF, Tex.	202	137	Belvoir, Ft., Va. 1/	21 (15)	.18 (16)	No Other Station		
Bliss, Ft., Tex. 3/ h/	171	118	Aberdeen Prov. Grd. Md. 1/	20 (20)	4? (4?)	With Six or More Cases		
VENEREAL (EXCLU		TI)	I NJURY Annual Admission Ra					
Kilmer, Cp., N.J.	206	147	Jos. T. Robinson, Cp., Ark. 3/	91	31			
Eustis, Ft., Va. 1/	205	148	Polk, Cp., La. 1/	89	63			
Lee, Cp., Va. 1/	146	98	Keesler Field, Miss, 2/	71	52			
Greensboro AAF, N.C.	141	113	Greensboro AAF, N.C.	67	48			
Lawton, Ft., Wash.	129	61	Westover Field, Mass.	64	37?			
Stoneman, Cp., Calif.	127	51	Benning, Ft., Ga.	64	71			
Benning, Ft., Ga.	127	178	McPherson, Ft., Ga. 4/	58	22?	The same of the same of	del	

FORM SG-396E Rev. 24 April 1946

RESTRICTED

*Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Masopharyngitis and Acute Catarrhal Laryngitis and Inflüenza

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH **Figures in parentheses are rates for atypical pneumonia only.

| Army Service Forces Training Center | Army Ground Forces Replacement Training Center | Army Air Forces Basic Training Center | I/ Personnel Center | I/ P

VOLUME VI REPORT NO. 24 LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST WEEK ENDING 14 June 19 46

WEEK ENDING 14 June 19	46				
AMEBIC DYSENTERY (6)	DIPHTHERIA (5)	SCABIES (20)	RELAPSING FEVER (1)		LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES
1-Hayes Fort, Ohio	2-Kilmer Cp., N. J.	20-Eustis, Ft., Va.	1-Two Rock Ranch, Calif.		GERMAN MEASLES
l-Knox Fort, Ky. l-McCoy Cp., Wis. l-Riley Fort, Kans. l-Beale, Cp., Calif.	1-Jefferson Bks., Mo. 1-Leavenworth Ft., Kans.				13-McClellan Ft., Ala. 10-Snelling Ft., Minn. 18-Jos. T. Robinson, Cp.Ark. 19-Polk Cp., La.
					M'COCCIC MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH
POLIOMYELITIS (4) 1-Geo. G. Meade, Ft., Md.	COCCIDIOIDOMYCOSIS (2) 1-March Field, Calif.	UNDULANT FEVER (1) 1-Valley Forge (GH) Pa.			1-A.P. Hill, Mil. Res., Va.
l-MacDill Field, Fla. l-Brooke (GH), Tex. l-Lawton Ft., Wash.	1-McCormack (GH) Calif.	2 10209 2080 (01) 200			1-Brooke (GH) Tex.
	SALES OF		to date dates	The second second	
The state of the s			The same of the sa		
FORM SG — 902 - 8 July 1944					ARMY SERVICE FORCES

FORM SG - 902 - 8 July 1944
RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

